



Space-saving



Small space-saving design is ideal for users with limited office space or home offices

Up to 20 pages per minute laser output for crisp black text page after page

Single-element, high-yield print cartridge for extra value and productivity

Lexmark

E321



Lexmark E321



Lexmark E321
shown with optional
250-sheet paper drawer

Compact and affordable

Small, space saving design is ideal for users with limited office space

Affordable laser printing on your desktop

Easy to use

Job cancel button on operator panel saves time

Single-element cartridge is easy to install and replace

Flexible

Print from the latest Windows and Mac operating systems

High performance, affordable laser printer for business applications.

Lexmark E321	
Part Number	US/Canada: 21S0150
Technology	Monochrome Laser
Speed	Up to 20 ppm
Resolution	1200 image quality, 600 x 600 dpi, 300 x 300 dpi
Time to First Page	9.5 seconds
Processor	100 MHz
Memory (std./max.)	8MB/72MB
Connectivity	Standard: Bidirectional parallel port and USB port, supports the MarkNet™ X2000 series of external print servers Optional: External serial adapter
Operating Systems	Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS For a complete list, visit www.lexmark.com
Compatibility	PCL 5e, PostScript 3 emulation (Mac only)
Fonts	PCL 5e emulation, 17 scalable – 1 bitmapped PostScript 3 emulation, 12 scalable (Mac only) Additional PCL 5e scalable fonts include: Bar Code 3 of 9, OCR-A, OCR-B
Paper Capacity Standard (in/out) Maximum (in/out)	150 + 1/100 150 + 250 + 1/100
Paper Options	Input: 250-sheet Optional Drawer
Paper Sources Standard (in/out) Maximum (in/out)	2/2 3/2
Media Types	Plain paper, envelopes, card stock, paper labels and transparencies
Media Sizes	Letter, legal, A4, A5, B5, executive and folio
Media Weights	Plain paper: 16 to 43 lb (60 to 163 g/m ²) Card stock: up to 90 lb Index (163 g/m ²)
Size/Weight	15.4" x 14.2" x 8.7" (W x D x H) (391 mm x 361 mm x 221 mm) 19.8 lb (9 kg)
Acoustics	49 dBA printing; 30 dBA idle
Supplies¹	Ships with: 1,500-page Starter Return Program Print Cartridge Optional supplies: 3,000-page Return Program Print Cartridge 3,000-page Print Cartridge 6,000-page High Yield Return Program Print Cartridge 6,000-page High Yield Print Cartridge
Duty Cycle	Up to 10,000 pages per month
Warranty	1-year LexExpress sm

¹ Yield is based on approximately 5% coverage

Order Information Chart

Part No.	UPC	Description
US/Canada		
21S0150	7-34646-15500-7	Lexmark E321
SUPPLIES		
Print Cartridges		
12A7300	7-34646-11887-3	3,000-page Print Cartridge
12A7400	7-34646-11889-7	3,000-page Return Program Print Cartridge
12A7305	7-34646-11888-0	6,000-page High Yield Print Cartridge
12A7405	7-34646-11890-3	6,000-page High Yield Return Program Print Cartridge
Media		
70X7240	7-34646-03810-2	Transparencies (Letter)
OPTIONS AND FEATURES		
Paper Handling Options		
21S0046	7-34646-38423-0	250-Sheet Drawer
21S0047	7-34646-38424-7	250-Sheet Tray
12A2435	7-34646-18435-9	E3xx Paper Tray Cover
08A0461	7-34646-37176-6	E32x Paper Tray 2 Cover
Memory Options		
16H0055	7-34646-24755-9	8MB SDRAM
16H0056	7-34646-24756-6	16MB SDRAM
16H0057	7-34646-24757-3	32MB SDRAM
16H0058	7-34646-24758-0	64MB SDRAM

Part No.	UPC	Description
CONNECTIVITY		
External Print Servers		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTX – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTX, 10Base2 – 1-port
46D0020	7-34646-30314-9	MarkNet X2031e Ethernet 10/100BaseTX – 3-port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-port
OTHER ATTACHMENT OPTIONS		
Adapters		
1368705	7-34646-11309-0	External Serial Adapter
1010025	7-34646-11802-6	802.11b Wireless Print Adapter
Cables		
1329605	0-87944-09056-4	Parallel Cable (10 ft.)
1427498	7-34646-13068-4	Parallel Cable (20 ft.)
1038693	7-34646-21649-4	Serial Cable (50 ft.)
12A2405	7-34646-18340-6	USB Cable (2-meter)



Lexmark, Lexmark with diamond design and MarkNet are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. LexExpress is a service mark of Lexmark International, Inc. © Copyright 2003. Lexmark International, Inc. All rights reserved.