



# Expandable



Small, yet expandable, space-saving design is ideal for users with limited office space or home offices

---

Up to 20 pages per minute laser output for crisp black text page after page

---

Single-element, high-yield print cartridge for extra value and productivity

# Lexmark

# E323



Lexmark E323



Lexmark E323  
shown with optional  
250-sheet paper drawer

## Exceptional performance

---

Up to 20 pages per minute provides exceptional output in record time

---

Powerful 200 MHz processor and 16MB memory prints more complex jobs

---

## Easy to use

---

Job cancel button on operator panel saves time

---

Easy to install high-yield, single-element print cartridge

---

## Flexible

---

Print from the latest Windows and Mac operating systems

---

# Compact, high performance laser printer that expands with your needs.

	<b>Lexmark E323, E323n</b>
<b>Part Number</b>	<b>US/Canada</b> 21S0200 (E323), 21S0300 (E323n)
<b>Technology</b>	Monochrome Laser
<b>Speed</b>	Up to 20 ppm
<b>Resolution</b>	1200 image quality, 600 x 600 dpi, 300 x 300 dpi
<b>Time to First Page</b>	9.5 seconds
<b>Processor</b>	200 MHz
<b>Memory (std./max.)</b>	16MB/144MB
<b>Connectivity</b>	Standard: Bidirectional parallel port and USB port standard (E323), 10BaseT/100BaseTX Ethernet standard on "n" models, Lexmark E323 supports the MarkNet™ X2000 series of external print servers Optional: 802.11b wireless print adapter (supported on E323n or with an external serial adapter)
<b>Operating Systems</b>	Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS For a complete list, visit <a href="http://www.lexmark.com">www.lexmark.com</a>
<b>Compatibility</b>	PostScript 3 emulation standard, PCL 6 emulation standard, PPDS Migration tool standard
<b>Fonts</b>	PostScript 3 emulation, 89 scalable PCL 6 emulation, 89 scalable – 2 bitmapped PPDS Migration Tool, 39 scalable – 5 bitmapped Additional PCL 5e scalable fonts include: Bar Code 3 of 9, OCR-A, OCR-B
<b>Paper Capacity</b> Standard (in/out) Maximum (in/out)	150 + 1/100 150 + 250 + 1/100
<b>Paper Options</b>	Input: 250-sheet Optional Drawer
<b>Paper Sources</b> Standard (in/out) Maximum (in/out)	2/2 3/2
<b>Media Types</b>	Plain paper, envelopes, card stock, paper labels and transparencies
<b>Media Sizes</b>	Letter, legal, A4, A5, B5, executive and folio
<b>Media Weights</b>	Plain paper: 16 to 43 lb (60 to 163 g/m <sup>2</sup> ) Card stock: up to 90 lb Index (163 g/m <sup>2</sup> )
<b>Size/Weight</b>	15.4" x 14.2" x 8.7" (W x D x H) (391 mm x 361 mm x 221 mm) 19.8 lb (9 kg)
<b>Acoustics</b>	49 dBA printing; 30 dBA idle
<b>Supplies<sup>1</sup></b>	Ships with: 3,000-page Return Program Print Cartridge Optional supplies: 3,000-page Return Program Print Cartridge 3,000-page Print Cartridge 6,000-page High Yield Return Program Print Cartridge 6,000-page High Yield Print Cartridge
<b>Duty Cycle</b>	Up to 15,000 pages per month
<b>Warranty</b>	1-year LexExpress <sup>SM</sup>

<sup>1</sup> Yield is based on approximately 5% coverage

# Order Information Chart

Part No.	UPC	Description
<b>US/Canada</b>		
21S0200	7-34646-15501-4	Lexmark E323
21S0300	7-34646-15502-1	Lexmark E323n
<b>SUPPLIES</b>		
<b>Print Cartridges</b>		
12A7300	7-34646-11887-3	3,000-page Print Cartridge
12A7400	7-34646-11889-7	3,000-page Return Program Print Cartridge
12A7305	7-34646-11888-0	6,000-page High Yield Print Cartridge
12A7405	7-34646-11890-3	6,000-page High Yield Return Program Print Cartridge
<b>Media</b>		
70X7240	7-34646-03810-2	Transparencies (Letter)
<b>OPTIONS AND FEATURES</b>		
<b>Paper Handling Options</b>		
21S0046	7-34646-38423-0	250-Sheet Drawer
21S0047	7-34646-38424-7	250-Sheet Tray
12A2435	7-34646-18435-9	E3xx Paper Tray Cover
08A0461	7-34646-37176-6	E32x Paper Tray 2 Cover
<b>Memory Options</b>		
16H0055	7-34646-24755-9	8MB SDRAM
16H0056	7-34646-24756-6	16MB SDRAM
16H0057	7-34646-24757-3	32MB SDRAM
16H0058	7-34646-24758-0	64MB SDRAM
<b>Flash DIMMs</b>		
5K00115	7-34646-28617-6	2MB Flash DIMM
5K00116	7-34646-28618-3	4MB Flash DIMM
5K00117	7-34646-28619-0	8MB Flash DIMM
5K00118	7-34646-28620-6	16MB Flash DIMM

Part No.	UPC	Description
<b>APPLICATION SOLUTIONS</b>		
<b>Optra Forms Solutions</b>		
5K00215	7-34646-28715-9	Optra Forms™ 2MB Flash DIMM
5K00216	7-34646-28716-6	Optra Forms 4MB Flash DIMM
5K00217	7-34646-28717-3	Optra Forms 8MB Flash DIMM
5K00218	7-34646-28718-0	Optra Forms 16MB Flash DIMM
<b>CONNECTIVITY</b>		
<b>External Print Servers</b>		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTX – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTX, 10Base2 – 1-port
46D0020	7-34646-30314-9	MarkNet X2031e Ethernet 10/100BaseTX – 3-port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-port
<b>OTHER ATTACHMENT OPTIONS</b>		
<b>Adapters</b>		
1368705	7-34646-11309-0	External Serial Adapter
1010025	7-34646-11802-6	802.11b Wireless Print Adapter
<b>Cables</b>		
1329605	0-87944-09056-4	Parallel Cable (10 ft.)
1427498	7-34646-13068-4	Parallel Cable (20 ft.)
1038693	7-34646-21649-4	Serial Cable (50 ft.)
12A2405	7-34646-18340-6	USB Cable (2-meter)

