


Lexmark T634 Laser Printer



# High-volume



Up to 45 pages per minute

Powerful 500MHz processor

Enhanced connectivity options

**LEXMARK**<sup>TM</sup>

# Lexmark

# T634



Lexmark T634(n)



Lexmark T634tn



Lexmark T634dtn



Lexmark T634dtnf

## Powerful workhorse devices

---

Powerful 500 MHz processor

---

Up to 225,000 pages per month duty cycle

---

Expanded media-handling options

---

## Specialized industry applications

---

Optional software to create a fully customized application for businesses of any size

---

Direct PDF printing and additional font support

---

Variety of networking choices including the latest wireless technology (optional)

---

## Trouble-free printing

---

Standardized printing platform with common supplies, options and media types

---

Complex, specialized printing on one printer

---

# High-speed workgroup laser printer for high volume printing.

	<b>Lexmark T634, T634n, T634tn, T634dtn, T634dtnf</b>
<b>Part Number</b>	<b>US/Canada</b> 10G0500 (T634), 10G0600 (T634n), 10G1600 (T634tn), 10G1630 (T634dtn), 10G1660 (T634dtnf)
<b>Technology</b>	Monochrome Laser
<b>Speed</b>	Up to 45 ppm
<b>Resolution</b>	1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi
<b>Time to First Page</b>	< 8.5 seconds
<b>Processor</b>	500 MHz
<b>Memory (std./max.)</b>	64MB/320MB (T634) 80MB/336MB (T634n, T634tn, T634dtn, T634dtnf)
<b>Connectivity</b>	Standard: Bidirectional parallel port and USB port standard (T634), 10BaseT/100BaseTX Ethernet, USB standard on "n" models, one expansion slot for optional internal print servers or optional connections, supports the MarkNet™ X2000 series of external print servers, supports the MarkNet N2000 series of internal print servers Optional: RS-232C Serial Interface Card, Parallel 1284-B Interface Card, 802.11b wireless print adapter ("n" models)
<b>Operating Systems</b>	Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS For a complete list, visit <a href="http://www.lexmark.com">www.lexmark.com</a>
<b>Compatibility</b>	PostScript 3 emulation standard, PCL 6 emulation standard, PPDS Migration tool standard
<b>Fonts</b>	PostScript 3 emulation, 158 scalable PCL 6 emulation, 89 scalable – 2 bitmapped PPDS Migration Tool, 39 scalable – 5 bitmapped Additional PCL 5e scalable fonts include: Code 3 of 9, OCR-A, OCR-B
<b>Paper Capacity</b> Standard (in/out) Maximum (in/out)	500/500 4,100/3,000
<b>Paper Options</b>	Input: 250-sheet drawer, 500-sheet drawer, 2,000-sheet drawer, Envelope feeder Output: StapleSmart™ finisher, Output expander, High capacity output stacker, 5-bin mailbox
<b>Paper Sources</b> Standard (in/out) Maximum (in/out)	2/1 7/11
<b>Multifunction Options</b>	Lexmark 3100 MFP option, Lexmark 3200 MFP option or Lexmark X4500 MFP option
<b>Media Types</b>	Plain paper, bond, envelopes, card stock, transparencies, paper labels, dual-web labels, polyester labels
<b>Media Sizes</b>	Letter, legal, A5, JIS B5, statement, executive and folio
<b>Media Weights</b>	Plain paper: 16 to 47 lb (60 to 176 g/m <sup>2</sup> ) Card stock: up to 90 lb Index (163 g/m <sup>2</sup> )
<b>Size/Weight</b>	T634: 17.2" x 20.2" x 16" (W x D x H) (436 mm x 513 mm x 406 mm) 41.5 lb (19 kg) T634n: 17.2" x 20.2" x 16" (W x D x H) (436 mm x 513 mm x 406 mm) 41.5 lb (19 kg) T634tn: 17.2" x 20.5" x 21" (W x D x H) (436 mm x 521 mm x 535 mm) 48.5 lb (22.2 kg) T634dtn: 17.2" x 27.8" x 23.1" (W x D x H) (436 mm x 655 mm x 588 mm) 59.8 lb (27 kg) T634dtnf: 18.6" x 27.8" x 32.7" (W x D x H) (473 mm x 655 mm x 830 mm) 71.3 lb (32 kg)
<b>Acoustics</b>	55 dBA printing; 32 dBA idle
<b>Supplies<sup>1</sup></b>	Ships with: 21,000-page Return Program Print Cartridge Optional supplies: 5,000-page Return Program Print Cartridge 5,000-page Print Cartridge 21,000-page High Yield Return Program Print Cartridge 21,000-page High Yield Return Program Print Cartridge for Labels 21,000-page High Yield Print Cartridge 32,000-page Extra High Yield Return Program Print Cartridge 32,000-page Extra High Yield Print Cartridge 32,000-page Extra High Yield Return Program Print Cartridge for Labels
<b>Duty Cycle</b>	Up to 225,000 pages per month
<b>Warranty</b>	1-year LexExpress <sup>sm</sup>

<sup>1</sup> Yield is based on approximately 5% coverage

# Order Information Chart

Part No.	UPC	Description
<b>US/Canada</b>		
10G0500	7-34646-53500-7	Lexmark T634
10G0600	7-34646-53600-4	Lexmark T634n
10G1600	7-34646-54100-8	Lexmark T634tn
10G1630	7-34646-54130-5	Lexmark T634dtn
10G1660	7-34646-54160-2	Lexmark T634dtnf
<b>SUPPLIES</b>		
<b>Print Cartridges*</b>		
12A7360	7-34646-11809-5	5,000-page Print Cartridge
12A7460	7-34646-11812-5	5,000-page Return Program Print Cartridge
12A7362	7-34646-11810-1	21,000-page High Yield Print Cartridge
12A7462	7-34646-11813-2	21,000-page High Yield Return Program Print Cartridge
12A7468	7-34646-11815-6	21,000-page High Yield Return Program Print Cartridge for Labels
12A7365	7-34646-11811-8	32,000-page Extra High Yield Print Cartridge
12A7465	7-34646-11814-9	32,000-page Extra High Yield Return Program Print Cartridge
12A7469	7-34646-11816-3	32,000-page Extra High Yield Return Program Print Cartridge for Labels
<b>Media and other</b>		
70X7240	7-34646-03810-2	Transparencies (Letter)
11K3188	7-34646-20993-9	Staple Cartridges
56P1409	N/A	Routine Maintenance Kit
<b>OPTIONS AND FEATURES</b>		
<b>Paper Handling Options</b>		
11K0681	7-34646-28600-8	250-Sheet Drawer
11K0688	7-34646-28601-5	500-Sheet Drawer
11K1059	7-34646-28609-1	250-Sheet Tray
11K1060	7-34646-28610-7	500-Sheet Tray
11K0718	7-34646-28602-2	2000-Sheet Drawer (Letter)
10G0801	7-34646-24998-0	T 500-Sheet Duplex Unit
11K0720	7-34646-28604-6	T Envelope Feeder
11K0723	7-34646-28607-7	T Output Expander
11K1440	7-34646-28611-4	T High-Capacity Output Stacker
11K0724	7-34646-28608-4	T 5-Bin Mailbox
11K2800	7-34646-24480-0	T StapleSmart Finisher
11K1878	7-34646-28626-8	250-Sheet Universally Adjustable Drawer
11K1574	7-34646-28625-1	250-Sheet Universally Adjustable Tray
11K1942	7-34646-39706-3	400-Sheet Universally Adjustable Drawer
11K1941	7-34646-39707-0	400-Sheet Universally Adjustable Tray
<b>Memory Options</b>		
16H0055	7-34646-24755-9	8MB SDRAM
16H0056	7-34646-24756-6	16MB SDRAM
16H0057	7-34646-24757-3	32MB SDRAM
16H0058	7-34646-24758-0	64MB SDRAM
16H0059	7-34646-24759-7	128MB SDRAM
11K4616	7-34646-12127-9	16MB Flash Card
11K4632	7-34646-12128-6	32MB Flash Card
11K4603	7-34646-12125-5	20+GB Hard Disk with Adapter

Part No.	UPC	Description
<b>APPLICATIONS SOLUTIONS</b>		
<b>Optra Forms Solutions</b>		
11N0052	7-34646-20732-4	Optra Forms™ Director
11N0040	7-34646-20731-7	Optra Forms Software
11N0056	7-34646-30810-6	Optra Forms Manager
10G0748	7-34646-12146-0	Optra Forms 32MB Flash Card
10G0747	7-34646-12145-3	Optra Forms 16MB Flash Card
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
10G0749	7-34646-12147-7	Optra Forms 20+GB Hard Disk with Adapter
<b>Other Options</b>		
10G0144	7-34646-14275-5	T634 ImageQuick™ Card
10G0145	7-34646-14276-2	T634 Bar Code Card
10G0147	7-34646-14277-9	T634 Card for IPDS and SCS/TNe
10G0149	7-34646-14278-6	T634 PrintCryption™ Card
<b>NETWORK CONNECTIONS</b>		
<b>Internal Print Servers**</b>		
14S0000	7-34646-12115-6	MarkNet N2100t Token-Ring
14S0020	7-34646-12116-3	MarkNet N2101e Ethernet 10/100BaseTX
<b>External Print Servers</b>		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTx – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTx/10Base2 – 1-port
46D0020	7-34646-30357-6	MarkNet X2031e Ethernet 10/100BaseTx – 3-port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-port
<b>OTHER ATTACHMENT OPTIONS</b>		
<b>Adapters</b>		
11K4601	7-34646-12069-2	Parallel 1284-B Interface Card
11K4602	7-34646-12068-5	RS-232C Serial Interface Card
1368705	7-34646-11309-0	External Serial Adapter
11K4120	7-34646-24573-9	Coax/Twinax Adapter for SCS
1010025	7-34646-11802-6	802.11b Wireless Print Adapter
<b>Cables</b>		
1329605	0-87944-09056-4	10-Foot Parallel Printer Cable
1427498	7-34646-13068-4	20-Foot Parallel Printer Cable
12A2405	7-34646-18340-6	2-Meter USB Printer Cable
1038693	7-34646-21649-4	50-Foot Serial Printer Cable
<b>MULTIFUNCTION SOLUTIONS</b>		
<b>Furniture</b>		
16C0379	7-34646-12084-5	Low Profile Printer Stand
16C0369	7-34646-12083-8	Printer Stand with Cabinet
16C0389	7-34646-12085-2	Printer Stand
16C0399	7-34646-12086-9	Scanner Stand with Cabinet
10G1000	7-34646-38372-1	T632/T634 Scanner Shelf
10G1021	7-34646-38373-8	T63x Operator Panel Cover
10G0080	7-34646-38371-4	Lexmark T Printer Base
<b>Multifunction Options</b>		
20R0020	7-34646-38276-2	Lexmark 3100 MFP Option
20R0080	7-34646-38312-7	Lexmark 3200 MFP Option
16C0100	7-34646-37085-1	Lexmark X4500 MFP Option

\*Yield is based on approximately 5% print coverage

\*\*Requires one internal solutions port



Lexmark, Lexmark with diamond design, MarkNet, and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. ImageQuick, PrintCryption and StapleSmart are trademarks of Lexmark International, Inc. LexExpress is a service mark of Lexmark International, Inc. © Copyright 2003. Lexmark International, Inc. All rights reserved.

