

# Lexmark X500n



**LEXMARK**<sup>TM</sup>

# Lexmark X500n

The Lexmark X500n All-in-One provides color copying, scanning and printing to enhance your documents and maximize productivity. Scanning from either the automatic document



## In the Box

### Lexmark X500n

- 2,500-page Black Toner Cartridge<sup>1</sup>
- 1,500-page Cyan, Magenta and Yellow Toner Cartridges<sup>1</sup>
- Photodeveloper Cartridge
- Waste Toner Bottle
- Drivers & Publications CD
- Power Cord
- Tray Extension Sheet
- Expandable Tray Lid

## Product Specifications

<b>Part Number</b>	25C0010
<b>Product Class</b>	Color Laser All-In-One
<b>Print Speed</b>	<b>Black:</b> Up to 31 ppm; <b>Color:</b> Up to 8 ppm
<b>Time to First Page</b>	<b>Black:</b> As fast as 13 seconds; <b>Color:</b> As fast as 19 seconds
<b>Print Resolution</b>	1200 x 600 dpi
<b>Processor</b>	366 MHz
<b>Memory (std./max.)</b>	128MB
<b>Connectivity</b>	
Standard	Ethernet, USB
Optional	Gigabit Ethernet, Wireless
Network Mgmt Utility	MarkVision Professional
<b>Printer Languages</b>	Host Based
<b>Fonts</b>	Via Host
<b>Copy</b>	<b>Speed:</b> Black: up to 21 ppm, Color: up to 7 ppm; <b>Time to First Page:</b> Black: as fast as 25 seconds, Color: as fast as 35 seconds; 1200 x 600 resolution; Collation; Reduce/enlarge (25% to 400%); Paper saver (2-up & 4-up); Darkness adjustment; Copy select 1-99
<b>Scan</b>	Color/mono flatbed scanner with 35-sheet automatic document feeder; 1200 x 1200 resolution; Scan-to-email, shared PC folder, FTP, scan-to-network via Twain; TIFF (mono only), JPEG and PDF file formats
<b>Operating Systems</b>	Microsoft Windows, Mac OS X
<b>Acoustics</b>	<b>Printing:</b> 54 dBA; <b>Idle:</b> 34 dBA; <b>Copying:</b> 54 dBA
<b>Size (WxDxH)</b>	19 in. x 17.2 in x 21 in. (482 mm x 437 mm x 534 mm)
<b>Weight</b>	77 lb. (35 kg)
<b>Duty Cycle</b>	35,000 pages per month

## Media Specifications

<b>Paper Capacity (sheets)</b>	
Standard	<b>Input:</b> 250; <b>Output:</b> 250
Maximum	<b>Input:</b> 780 (250 + 530); <b>Output:</b> 250
<b>Paper Sources</b>	
Standard	<b>Input:</b> 1; <b>Output:</b> 1
Maximum	<b>Input:</b> 2; <b>Output:</b> 1
<b>Media Information</b>	
Types	Plain paper, card stock, glossy paper, envelopes, labels, transparencies
Size	Letter, A4, A5, JIS B5, legal, executive, folio, statement, universal (4.125 x 8.27in. to 8.5 x 14 in.), envelopes (10, 9, B5, C5, DL)
Weight	<b>Plain paper:</b> 16 to 24 lb. (60 to 90 g/m <sup>2</sup> ); <b>Card stock:</b> 43-55 lb. (163 to 210 g/m <sup>2</sup> )


## Shipping Dimensions

### Lexmark X500n

23.4 in. x 22.6 in. x 29.9 in.  
94.6 lb.

## Part Numbers

<b>Supplies</b>	5,000-page Black High Yield Toner Cartridge <sup>1</sup>	C500H2KG
	3,000-page Cyan High Yield Toner Cartridge <sup>1</sup>	C500H2CG
	3,000-page Yellow High Yield Toner Cartridge <sup>1</sup>	C500H2YG
	3,000-page Magenta High Yield Toner Cartridge <sup>1</sup>	C500H2MG
	2,500-page Black Toner Cartridge <sup>1</sup>	C500S2KG
	1,500-page Cyan Toner Cartridge <sup>1</sup>	C500S2CG
	1,500-page Yellow Toner Cartridge <sup>1</sup>	C500S2YG
	1,500-page Magenta Toner Cartridge <sup>1</sup>	C500S2MG
	Photodeveloper Cartridge (up to 120,000 images)	C500X26G
	Waste Toner Bottle (up to 30,000 images)	C500X27G
Fuser Unit (up to 60,000 images)	C500X28G	
<b>Warranty</b>	1-year Onsite Repair	Base
	1-year Onsite Repair extended warranty	2349428
	2-year Onsite Repair extended warranty	2349429



<sup>1</sup> Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

## Additional Part Numbers

<b>Connectivity</b>	MarkNet™ N7020e GigaBit Ethernet Print Server <sup>1</sup>	14T0220
	N4050e 802.11g Wireless Print Server <sup>1</sup>	14T0145
<b>Cables</b>	6-foot USB Cable	1021294
<b>Media</b>	Glossy Paper (letter, 200 sheets)	12A5950
	Professional Color Laser Transparencies (letter, 50 sheets)	12A8240

## Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. All other trademarks are the property of their respective owners. © 2007 Lexmark International, Inc. All rights reserved.

**71K1216**

<sup>1</sup> Requires USB Connection