

LEXMARKTM

C750

The High-Value Workgroup Color Laser Printer with Outstanding Print Quality, Performance and Reliability

- **High Value**

- Black cost per page equal to most monochrome printers
- Save up to 50 percent of toner usage with 3 levels of toner saver
- One printer for black and color needs



- **Outstanding Performance**

- 20 ppm color and black
- 20 seconds time to first color page
- 350 MHz RISC processor

- **Impressive Print Quality**

- True 1200 x 1200 dpi and 2400 image quality
- Automatic color correction
- SWOP® and EuroScale simulated color tables

- **Heavy Volume Reliability**

- 60,000-page monthly duty cycle, based on a single-month's usage
- High-yield, single-element print cartridges for low user intervention
- Production paper handling with maximum 3,100 sheets input



Product Information

Part Numbers

- United States
 - C750: 13P0000
 - C750n: 13P0050
 - C750dn: 13P0150

Technology

- Color laser

Speed

- Up to 20 ppm black and color
- Transparencies
 - Up to 10 ppm black and color
- Time to first page
 - Less than 17.5 seconds in black
 - Less than 20.0 seconds in color

Print Quality

- 2400 image quality
- 1200 x 1200 dpi
- Automatic color correction

Processor

- 350 MHz RISC

Memory (std/max)

- C750: 64MB/512MB
- C750n: 64MB/512MB
- C750dn: 128MB/512MB

Connectivity

- Standard
 - All models: USB port, One Internal Solutions Port
 - C750: Bidirectional parallel port
 - C750n and C750dn: 10BaseT/100BaseTX Ethernet
- Optional
 - MarkNet™ X2000 series of external print servers
 - MarkNet N2000 series of internal print servers
 - Serial/Parallel 1284 Interface Card
 - Tri-Port Adapter with RS232/422 Serial, LocalTalk and IR Adapter ports
 - Coax/Twinax Adapter for SCS

Compatibility

- Standard
 - PostScript 3 emulation
 - PCL 6 emulation

Font Selection

- PostScript emulation
 - 156 scalable fonts
- PCL emulation
 - 84 scalable fonts
 - 2 bitmapped fonts
 - 83 symbol sets

Paper Handling

- Input (std/max)
 - Sources: 2/5
 - C750: 600/3100
 - C750n: 600/3100
 - C750dn: 1100/3100
- Output (std/max)
 - Destinations: 1/7
 - C750: 250/3900¹
 - C750n: 250/3900¹
 - C750dn: 250/3900¹

Media

- Media Sizes
 - Letter, A4, A5, JIS B4, JIS B5, legal, executive, universal, folio, statement, envelopes (#9, COM 10, DL, C5, B5)
- Media Types
 - Plain paper, card stock, transparencies, labels, Lexmark soft-gloss paper, envelopes
- Media weights
 - Plain paper: 16 to 47 lb. bond (60 to 176 g/m²)
 - Card stock: up to 110 lb. index (199 g/m²)

Paper Handling Options

- 500-sheet Drawer
- 500-sheet Tray
- Duplex Unit
- 2,000-sheet Drawer
- 5-Bin Mailbox
- 650-sheet Output Expander
- 3,000-sheet High Capacity Output Finisher with staple, hole punch and job offset²

Supplies³

The Lexmark C750 ships with:

- 6,000-page Cyan, Magenta, Yellow and Black Prebate™ Print Cartridges

Other supplies:

- 6,000-page Cyan, Magenta, Yellow and Black Print Cartridges
- 15,000-page Cyan, Magenta, Yellow and Black Prebate Print Cartridges
- 15,000-page Cyan, Magenta, Yellow and Black Print Cartridges

Operating Systems

- Microsoft Windows 2000, Me, 98, 95, NT 4.0 and XP; Linux, UNIX, Novell and Mac OS
- For a complete list, see www.lexmark.com

Size, Weight

- C750 and C750n (W x D x H):
 - 23.8" x 18.5" x 20.8" (604.4 mm x 470.9 mm x 527.6 mm)
 - 105 lb. (47.7 kg)
- C750dn (added drawer and duplex) (W x D x H):
 - 23.8" x 18.5" x 28.9" (604.4 mm x 470.9 mm x 734.6 mm)
 - 129.5 lb. (58.9 kg)

Acoustics

- C750 and C750n
 - 51 dBA printing
 - 42 dBA idle
- C750dn
 - 53 dBA printing
 - 42 dBA idle

Duty Cycle

- Up to 60,000 pages per month, based on a single month's usage

Warranty/Services and Support

- 1-year LexOnSiteSM limited warranty
- For more warranty or service information, visit Warranties and Returns at www.lexmark.com

¹ Maximum output includes Finisher option

² Available March 2002

³ Yield is based on approximately 5% coverage



Competitive Comparison

	Lexmark C750(n)	HP Color LaserJet 4550(N)	Xerox Phaser 1235(N)	Okidata 7200, C7200n
MSRP Prices				
Base	\$3,579	\$2,534	\$3,239	\$3,499
Network	\$4,049	\$2,987	\$5,639	\$3,999
Technology	Laser	Laser	LED	LED
Speed				
Black	20 ppm	16 ppm	20 ppm	20 ppm
Color	20 ppm	4 ppm	12 ppm	12 ppm
Time to First Page				
Black	< 17.5 seconds	26 seconds	13 seconds	N/A
Color	< 20 seconds	36 seconds	18 seconds	
Processor	350 MHz	233 MHz	366 MHz	400 MHz
Max. Resolution	2400 image quality, 1200 x 1200 dpi	600x600 dpi with HP's ImageREt 2400	1200 x 600 dpi	1200 x 1200 dpi
Memory (std./max.)				
Base	64MB/512MB	64MB/192MB	64MB/512MB	64MB/512MB
Network	64MB/512MB	128MB/192MB	256MB/512MB	64MB/1,024MB
Flash Memory	Optional	N/A	N/A	2MB (standard)
Standard Interface				
Base Model	Parallel, USB, 1 ISP	Parallel, 2 EIO, IR	Parallel	Parallel, USB,
Network-Ready Model	10/100BaseTX, USB, 1 ISP	Parallel, 2 EIO, IR, USB, 10/100BaseTX	10/100BaseTX, Token-Ring (opt)	10/100BaseTX
Paper Handling				
Std. Sheets (in/out)	600/250	400/350	630/500	630/600
Max. Sheets (in/out)	3100/3900	900/350	1690/600	1690/600
Std. Sources (in/out)	2/1	2/2	2/2	2/2
Max. Sources (in/out)	5/7	3/2	4/2	4/2
Optional Input	Yes	1 500-sheet	2 530-sheet	2 530-sheet
Max. Paper Size	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.
Media Weight	16-47 lb. bond (60-176 g/m ²); card stock: Up to 110 lb. (199 g/m ²)	16-42 lb. (60-163 g/m ²)	16-54 lb., up to 112 lb. index (60-203 g/m ²)	16-47 lb. (60- 176 g/m ²); 24-110 lb. (90-199 g/m ²) card stock
Data Stream Compatibility	PCL 6, PS 3	PCL 5c, PS 3 PCL 6	PCL 5c, PS 3	PCL 5c, PS 3
Cartridge Yield (pages)¹ (std.)	Black and Color: 6,000	Black: 9,000 Color: 6,000	Black and Color: 5,000	Black and Color: 10,000
(high yield)	Black and Color: 15,000		Black and Color: 10,000	
Monthly Duty Cycle	60,000 pages	35,000 pages	60,000 pages	50,000 pages
Warranty	1-year on-site	1-year on-site	1-year on-site	1-year on-site

¹ Yield is based on approximately 5% coverage

Order Information Chart

Part Number	UPC	Description
United States		
13P0000	7-34646-52000-3	Lexmark C750
13P0050	7-34646-52050-8	Lexmark C750n
13P0150	7-34646-52150-5	Lexmark C750dn
SUPPLIES		
Print Cartridges¹		
10B031C	7-34646-29901-5	6,000-page Cyan Print Cartridge
10B031M	7-34646-29902-2	6,000-page Magenta Print Cartridge
10B031Y	7-34646-29903-9	6,000-page Yellow Print Cartridge
10B031K	7-34646-29900-8	6,000-page Black Print Cartridge
10B032C	7-34646-29909-7	15,000-page Cyan High Yield Print Cartridge
10B032M	7-34646-29910-4	15,000-page Magenta High Yield Print Cartridge
10B032Y	7-34646-29911-6	15,000-page Yellow High Yield Print Cartridge
10B032K	7-34646-29908-1	15,000-page Black High Yield Print Cartridge
10B041C	7-34646-29905-3	6,000-page Cyan <i>Prebate</i> Print Cartridge
10B041M	7-34646-29906-0	6,000-page Magenta <i>Prebate</i> Print Cartridge
10B041Y	7-34646-29907-7	6,000-page Yellow <i>Prebate</i> Print Cartridge
10B041K	7-34646-29904-6	6,000-page Black <i>Prebate</i> Print Cartridge
10B042C	7-34646-29913-8	15,000-page Cyan High Yield <i>Prebate</i> Print Cartridge
10B042M	7-34646-29914-5	15,000-page Magenta High Yield <i>Prebate</i> Print Cartridge
10B042Y	7-34646-29915-2	15,000-page Yellow High Yield <i>Prebate</i> Print Cartridge
10B042K	7-34646-29912-1	15,000-page Black High Yield <i>Prebate</i> Print Cartridge
Other Supplies		
10B3100	7-34646-24521-0	Waste Toner Container
12L0252	7-34646-25252-2	Staple Cartridge
Routine Maintenance		
12G6304	N/A	ITU Maintenance Kit with Transfer Roller
12G6496	N/A	Fuser Maintenance Kit (LV-US)
Media		
12A5940	7-34646-24545-6	Color Laser Transparencies (letter)
12A5150	7-34646-13898-7	Lexmark Transparencies (letter)
12A5950	7-34646-24547-0	Lexmark Soft Gloss Paper (letter)
OPTIONS AND FEATURES		
Paper Handling Options		
10B2300	7-34646-24500-5	500-sheet Drawer
10B3601	7-34646-24501-2	500-sheet Tray
10B2400	7-34646-24503-6	Duplex Unit
10B3600	7-34646-24502-9	2000-sheet Drawer
10B3050	7-34646-24504-3	650-sheet Output Expander
10B3000	7-34646-24505-0	5-Bin Mailbox
10B3603	7-34646-24507-4	Finisher (March 2002) ²
Memory Options		
11N0023	7-34646-36784-4	64MB SDRAM - 168 pin
11N0025	7-34646-36785-1	128MB SDRAM - 168 pin
11N0036	7-34646-36851-3	256MB SDRAM - 168 pin
12P0069	7-34646-36855-1	4MB Flash DIMM - 168 pin
12P0068	7-34646-36854-4	8MB Flash DIMM - 168 pin
12P0066	7-34646-36853-7	16MB Flash DIMM - 168 pin
10A0032	7-34646-27941-3	Hard Disk Adapter
12P0071	7-34646-36840-7	5+GB Hard Disk with Adapter
12P0102	7-34646-24580-7	Traditional Chinese Font DIMM (Dec. 2001)
12P0101	7-34646-24578-4	Simplified Chinese Font DIMM (Dec. 2001)
12P0103	7-34646-24579-1	Japanese Font DIMM (Dec. 2001)

Part Number	UPC	Description
APPLICATION SOLUTIONS		
11N0040	7-34646-20731-7	Optra Forms Software
11N0052	7-34646-20732-4	Optra Forms Director
12P0085	7-34646-36846-9	Forms 4MB Flash DIMM - 168 pin
12P0084	7-34646-36847-6	Forms 8MB Flash DIMM - 168 pin
12P0083	7-34646-36848-3	Forms 16MB Flash DIMM - 168 pin
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
12P0086	7-34646-36850-6	Lexmark Forms 5+GB Hard Disk with Adapter
CONNECTIVITY		
MarkNet X2000 External Print Servers		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTX - 1-Port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTX/10Base2 - 1-Port
46D0020	7-34646-30314-9	MarkNet X2031e Ethernet 10/100BaseTX - 3-Port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring - 3-Port
MarkNet N2000 Internal Print Servers		
44D0020	7-34646-17333-9	MarkNet N2000t Token-Ring
44D0000	7-34646-17332-2	MarkNet N2001e Ethernet 10/100BaseTX
44D0050	7-34646-17334-6	MarkNet N2002e Ethernet 10BaseT/2
MarkNet N2000 Internal Fiber Optic Print Servers		
44D0100	7-34646-30368-2	MarkNet N2003fx SC
44D0085	7-34646-30367-5	MarkNet N2003fx MTRJ
Cables and Attachment Options		
11K4019	7-34646-36837-7	RS-232-C Serial/Parallel 1284-C Card
1368705	7-34646-11309-0	External Serial Adapter
44H0008	7-34646-12648-9	Tri-Port Adapter - LocalTalk/Serial/Infrared
11K4120	7-34646-24573-9	Coax/Twinax Adapter for SCS
44H0009	7-34646-12650-2	Infrared Adapter
11K4250	7-34646-30811-3	Parallel 1284 C-B Adapter
11K4300	7-34646-30813-7	Parallel Card and C-B Adapter
11K4078	7-34646-37011-0	Parallel 1284-C Cable (6-foot)
11K4200	7-34646-30812-0	Parallel Card and 1284 Cable
1329605	0-87944-09056-4	Parallel Cable (10-foot)
1427498	7-34646-13068-4	Parallel Cable (20-foot)
1038693	7-34646-21649-4	Serial Cable (50-foot)
12A2405	7-34646-18340-6	USB Cable (2-meter)
FURNITURE		
10B1708	7-34646-30802-1	C750 Printer Stand (March 2002)

¹Yield at approximately 5% coverage

²The C750 Finisher is subject to FCC rules and will comply with the appropriate rules before delivery to the buyer or to centers of distribution

Lexmark International, Inc. is a global developer, manufacturer and supplier of printing solutions and products, including laser, inkjet and dot matrix printers and associated consumable supplies for the office and home markets. Lexmark is on the internet at www.lexmark.com. Prices and information subject to change without notice. Lexmark, Lexmark with diamond design, Optra Forms and MarkNet are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. LexOnSite is a service mark of Lexmark International, Inc. LocalTalk, Mac OS and Mac Logo are trademarks of Apple Computer, Inc., registered in the United States and/or other countries. PCL is a trademark of Hewlett-Packard Company. All other trademarks are the properties of their respective owners. As an ENERGY STAR Partner, Lexmark International, Inc. has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR is a US registered trademark. SWOP is a trademark of SWOP, Inc.



©2001 Lexmark International, Inc.
All Rights Reserved
10/29/01