

# Lexmark C532n and C532dn



**LEXMARK**<sup>TM</sup>

# Lexmark C532n, C532dn

The Lexmark C532n and C532dn network-ready color laser printers with a 375 MHz processor and 128MB of memory print at up to 24 ppm black or up to 22 ppm color



## Lexmark C532n, C532dn

### In the Box

#### Lexmark C532n

- Lexmark C532n Printer
- 4,000-page Black, 3,000-page Cyan, Magenta & Yellow Return Program Starter Toner Cartridges<sup>1</sup>

- Photoconductor Units Installed
- Power Cord
- Setup Sheet
- Drivers, MarkVision and Utilities CD
- Supplies Program Flier

#### Lexmark C532dn

- Lexmark C532n Printer
- PLUS Automatic Two-sided Printing

### Product Specifications

|                            |   |
|----------------------------|---|
| <b>Part Number</b>         | <b>US/Canada: C532n:</b> 34B0050; <b>C532dn:</b> 34B0150  |
| <b>Product Class</b>       | Small workgroup laser printer, calibrated for PANTONE™ solid color simulation   |
| <b>Speed</b>               | Black: Up to 24 ppm; Color: Up to 22 ppm  |
| <b>Time to First Page</b>  | Black: As fast as 10.5 seconds; Color: As fast as 11 seconds  |
| <b>Print Resolution</b>    | 4800 Color Quality, 1200 x 1200 dpi   |
| <b>Processor</b>           | 375 MHz   |
| <b>Memory (std./max.)</b>  | 128MB/640MB   |
| <b>Connectivity*</b>       |   |
| Standard                   | Ethernet, USB   |
| Optional                   | Wireless, Gigabit Ethernet  |
| <b>Printer Languages</b>   | PostScript 3 and PCL 6 emulations; PPDS Migration Tool  |
| <b>Direct Print Format</b> | PDF 1.5   |
| <b>Fonts*</b>              | <b>PCL:</b> 89 scalable, includes OCR-A, OCR-B and Code 3 of 9 bar codes, 2 bitmapped; <b>PostScript:</b> 91; <b>PPDS:</b> 39 scalable, 5 bitmapped |
| <b>Operating Systems*</b>  | Windows, Linux, UNIX, Mac, NetWare, and O/S 400   |
| <b>Acoustics</b>           | 51 dBA printing; 31 dBA idle  |
| <b>Size (WxDxH)</b>        | 17.3 in. x 16.1 in. x 19 in. (440 mm x 408 mm x 484 mm)   |
| <b>Weight</b>              | 57 lb. (25.9 kg)  |
| <b>Duty Cycle</b>          | Up to 75,000 pages per month (Maximum one-time monthly usage)   |

### Media Specifications

|                                |  |
|--------------------------------|--|
| <b>Paper Capacity (sheets)</b> |  |
| Standard                       | <b>C532n Input:</b> 250 + 1; <b>C532dn Input:</b> 350 (250 + 100 MPF) <b>Output:</b> 250   |
| Maximum                        | <b>C532n: Input:</b> 801 (250 + 550 + 1); <b>Output:</b> 250<br><b>C532dn: Input:</b> 900 (250 + 550 + 100); <b>Output:</b> 250  |
| <b>Paper Sources</b>           |  |
| Standard                       | <b>Input:</b> 2; <b>Output:</b> 1  |
| Maximum                        | <b>Input:</b> 3; <b>Output:</b> 1  |
| <b>Media Information</b>       |  |
| Types                          | Plain paper, recycled paper, glossy paper, paper labels, card stock, transparencies, envelopes   |
| Size                           | Letter, legal, A4, A5, JIS B5, executive, statement, folio, universal (3 x 4.88 in. to 8.5 x 14 in.), envelopes (7 3/4, 9, 10, DL, C5, B5), other (4.125 x 8.27 in. to 8.5 x 14 in.) |
| Weight                         | <b>Plain paper:</b> 16 to 58 lb. (60 to 218 g/m <sup>2</sup> ); <b>Card stock:</b> Up to 90 lb. Index (163 g/m <sup>2</sup> )  |


### Shipping Dimensions

**Lexmark C532n, C532dn**  
Size: 21.8 x 24.9 x 22.4  
Weight: 67.5 lb.

## Part Numbers


|                               |   |         |
|-------------------------------|---|---------|
| <b>Supplies</b>               | 5,000-page Cyan High Yield Return Program Toner Cartridge <sup>1</sup>    | C5240CH |
|                               | 5,000-page Magenta High Yield Return Program Toner Cartridge <sup>1</sup> | C5240MH |
|                               | 5,000-page Yellow High Yield Return Program Toner Cartridge <sup>1</sup>  | C5240YH |
|                               | 5,000-page Cyan High Yield Toner Cartridge <sup>1</sup>                   | C5242CH |
|                               | 5,000-page Magenta High Yield Toner Cartridge <sup>1</sup>                | C5242MH |
|                               | 5,000-page Yellow High Yield Toner Cartridge <sup>1</sup>                 | C5242YH |
|                               | 4,000-page Black Return Program Toner Cartridge <sup>1</sup>              | C5220KS |
|                               | 3,000-page Cyan Return Program Toner Cartridge <sup>1</sup>               | C5220CS |
|                               | 3,000-page Magenta Return Program Toner Cartridge <sup>1</sup>            | C5220MS |
|                               | 3,000-page Yellow Return Program Toner Cartridge <sup>1</sup>             | C5220YS |
|                               | 4,000-page Black Toner Cartridge <sup>1</sup>                             | C5222KS |
|                               | 3,000-page Cyan Toner Cartridge <sup>1</sup>                              | C5222CS |
|                               | 3,000-page Magenta Toner Cartridge <sup>1</sup>                           | C5222MS |
|                               | 3,000-page Yellow Toner Cartridge <sup>1</sup>                            | C5222YS |
|                               | Photoconductor Unit (up to 20,000 pages) <sup>2</sup>                     | C53030X |
|                               | Photoconductor Unit Multi-Pack  | C53034X |
|                               | Waste Toner Box (up to 25,000 pages) <sup>2</sup>                         | C52025X |
| Transfer Belt Maintenance Kit | 40X3572   |         |
| 115V Fuser Maintenance Kit    | 40X3569   |         |
| <b>Memory Options</b>         | 128MB SDRAM   | 13N1523 |
|                               | 256MB SDRAM   | 13N1524 |
|                               | 512MB SDRAM   | 13N1526 |
|                               | 32MB Flash Card   | 1021208 |
|                               | 64MB Flash Card   | 1021209 |
| <b>Warranty*</b>              | 1-year Onsite Repair  | Base    |
|                               | 1-year Onsite Repair extended warranty                                    | 2348656 |
|                               | 2-year Onsite Repair extended warranty                                    | 2348657 |
|                               | 3-year Onsite Repair extended warranty                                    | 2348658 |

### C532n



- Single-sheet Slot (standard)
- 250-sheet Drawer (standard)
- 550-sheet Drawer (36B1600)

### C532dn



- 100-sheet Multipurpose Feeder (standard)
- 250-sheet Drawer (standard)
- 550-sheet Drawer (36B1600)

<sup>1</sup> Yield is standard pages as listed in accordance with ISO/IEC 19798.

<sup>2</sup> Actual number of pages or images will vary depending on individual customer usage.

## Additional Part Numbers

|                                     |   |         |
|-------------------------------------|---|---------|
| <b>Solutions</b>                    | Korean Font Card  | 1021240 |
|                                     | Simplified Chinese Font Card                                  | 1021241 |
|                                     | Traditional Chinese Font Card                                 | 1021242 |
|                                     | Japanese Font Card  | 1021243 |
| <b>Connectivity</b>                 | External Print Servers  |         |
|                                     | Lexmark MarkNet™ N7000e Fast Ethernet - 1 port <sup>1</sup>   | 14T0230 |
|                                     | Lexmark MarkNet N7020e Gigabit Ethernet - 4 port <sup>1</sup> | 14T0220 |
|                                     | Lexmark N4000e Print Server <sup>1</sup>                      | 14T0030 |
|                                     | Wireless Print Adapters                                       |         |
|                                     | 802.11g Print Adapter   | 1010042 |
| Lexmark N4050e 802.11g Print Server | 14T0145   |         |
| <b>Cables</b>                       | 6-foot USB Cable  | 1021294 |
| <b>Media</b>                        | Professional Color Laser Transparency (letter)                | 12A8240 |
|                                     | Soft Gloss Paper (letter)                                     | 12A5950 |

## Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2006 Lexmark International, Inc. All rights reserved.

**71K1604**



<sup>1</sup> Requires USB Connection