

# Lexmark C772n



**LEXMARK**<sup>™</sup>

# Lexmark C772n

The Lexmark C772n prints up to 25 ppm in 4800 Color Quality mode and provides true 1200 x 1200 dpi capability for high-quality color printing.



## Lexmark C772n, C772dn, C772dtn

### In the Box

#### Lexmark C772n

- Lexmark C772n Printer
- 10,000-page Cyan, Magenta, Yellow and Black Return Program Print Cartridges<sup>1</sup>
- Power Cord
- Software and Documentation CD

#### Lexmark C772dn

- Lexmark C772n + Automatic two-sided printing

#### Lexmark C772dtn

- Lexmark C772dn + 500-sheet drawer

### Product Specifications

<b>Part Number</b>	<b>C772n:</b> 24A0050, <b>C772dn:</b> 24A0150, <b>C772dtn:</b> 24A0200
<b>Product Class</b>	Medium/large workgroup color laser printer; Calibrated for PANTONE™ solid color simulation
<b>Speed</b>	Black or color: Up to 25 ppm
<b>Time to First Page</b>	Black: Less than 13 seconds; Color: Less than 15 seconds
<b>Print Resolution</b>	1200 x 1200 dpi; 4800 Color Quality
<b>Processor</b>	800 MHz
<b>Memory (std./max.)</b>	256MB/768MB
<b>Connectivity*</b>	
Standard	Ethernet, USB, USB Direct Interface, 1 internal solutions port (ISP)
Optional	Parallel, Serial, Wireless, Gigabit Ethernet, Fiber Optic
Network Mgmt Utility	MarkVision Professional
<b>Printer Languages</b>	PostScript 3 and PCL 6 emulations and direct PDF v1.5 printing
<b>Direct Print Formats</b>	PDF v1.5, GIF, PNG, BMP, PCX, DCX, JPEG, TIFF, HTML 4.0
<b>Fonts*</b>	<b>PCL:</b> 89 scalable, 2 bitmapped; <b>PostScript:</b> 158 scalable
<b>Operating Systems*</b>	Windows, Linux, UNIX, Mac, NetWare and OS/400
<b>Acoustics</b>	<b>Printing:</b> 52 dBA; <b>Idle:</b> 31 dBA
<b>Size (WxDxH)</b>	<b>C772n:</b> 23.8 in. x 18.5 in x 20.8 in. (604.5 mm x 469.9 mm x 528.3 mm); <b>C772dn:</b> 23.8 in. x 18.5 in. x 24.3 in. (604.5 mm x 469.9 mm x 617.2 mm); <b>C772dtn:</b> 23.8 in. x 18.5 in. x 28.9 in. (604.5 mm x 469.9 mm x 734.1 mm)
<b>Weight</b>	<b>C772n:</b> 105 lb. (47.7 kg); <b>C772dn:</b> 118.5 lb. (53.8 kg); <b>C772dtn:</b> 132 lb. (60 kg)
<b>Duty Cycle</b>	Up to 120,000 pages per month (Maximum one-time monthly usage)

### Media Specifications

<b>Paper Capacity (sheets)</b>	
Standard	<b>C772n, C772dn: Input:</b> 600 (500 + 100); <b>Output:</b> 250 <b>C772dtn: Input:</b> 1100 (500 + 500 + 100); <b>Output:</b> 250
Maximum	<b>Input:</b> 3100 (500 + 500 + 2000 + 100); <b>Output:</b> 900
<b>Paper Sources</b>	
Standard	<b>C772n, C772dn: Input:</b> 2; <b>Output:</b> 1 <b>C772dtn: Input:</b> 3; <b>Output:</b> 1
Maximum	<b>Input:</b> 5; <b>Output:</b> 6
<b>Media Information</b>	
Types	Plain paper, card stock, transparencies, envelopes, vinyl labels, paper labels, polyester labels, dual-web labels, integrated labels, outdoor media
Size	Letter, A4, A5, JIS B5, statement, folio, legal, executive, universal (3 x 5 in. to 9.01 x 14 in.), envelopes (7 <sup>3</sup> / <sub>4</sub> , 9, 10, DL, C5, B5), banner (8.27 x 48 in.)
Weight	<b>Plain paper:</b> 16 to 47 lb. (60 to 176 g/m <sup>2</sup> ); <b>Card stock:</b> up to 110 lb. (199 g/m <sup>2</sup> ); <b>Labels:</b> 48-92 lb. (180-300 g/m <sup>2</sup> )

### Shipping Dimensions

#### Lexmark C772n

Size: 31.3 x 25.6 x 31.9  
Weight: 150 lb.

#### Lexmark C772dn


Size: 43.3 x 28.5 x 37.2  
Weight: 201 lb.

#### Lexmark C772dtn

Size: 52 x 28.5 x 37.2  
Weight: 222 lb.

## Part Numbers

<b>Supplies</b>	15,000-page Extra High Yield Return Program Black Print Cartridge <sup>1</sup>	C7720KX
	15,000-page Extra High Yield Return Program Cyan Print Cartridge <sup>1</sup>	C7720CX
	15,000-page Extra High Yield Return Program Magenta Print Cartridge <sup>1</sup>	C7720MX
	15,000-page Extra High Yield Return Program Yellow Print Cartridge <sup>1</sup>	C7720YX
	15,000-page Extra High Yield Black Print Cartridge <sup>1</sup>	C7722KX
	15,000-page Extra High Yield Cyan Print Cartridge <sup>1</sup>	C7722CX
	15,000-page Extra High Yield Magenta Print Cartridge <sup>1</sup>	C7722MX
	15,000-page Extra High Yield Yellow Print Cartridge <sup>1</sup>	C7722YX
	10,000-page High Yield Return Program Black Print Cartridge <sup>1</sup>	C7700KH
	10,000-page High Yield Return Program Cyan Print Cartridge <sup>1</sup>	C7700CH
	10,000-page High Yield Return Program Magenta Print Cartridge <sup>1</sup>	C7700MH
	10,000-page High Yield Return Program Yellow Print Cartridge <sup>1</sup>	C7700YH
	10,000-page High Yield Black Print Cartridge <sup>1</sup>	C7702KH
	10,000-page High Yield Cyan Print Cartridge <sup>1</sup>	C7702CH
	10,000-page High Yield Magenta Print Cartridge <sup>1</sup>	C7702MH
	10,000-page High Yield Yellow Print Cartridge <sup>1</sup>	C7702YH
	6,000-page Return Program Black Print Cartridge <sup>1</sup>	C7700KS
	6,000-page Return Program Cyan Print Cartridge <sup>1</sup>	C7700CS
	6,000-page Return Program Magenta Print Cartridge <sup>1</sup>	C7700MS
	6,000-page Return Program Yellow Print Cartridge <sup>1</sup>	C7700YS
	6,000-page Black Print Cartridge <sup>1</sup>	C7702KS
	6,000-page Cyan Print Cartridge <sup>1</sup>	C7702CS
	6,000-page Magenta Print Cartridge <sup>1</sup>	C7702MS
	6,000-page Yellow Print Cartridge <sup>1</sup>	C7702YS
	Toner Waste Container	10B3100
	Staple Cartridges	11K3188
	Routine Maintenance Items:	
ITU Maintenance Kit with Transfer Roll	40X1680	
115V Fuser Maintenance Kit	40X1859	
<b>Memory/Flash Options</b>	128MB SDRAM	13N1523
	256MB SDRAM	13N1524
	512MB SDRAM	13N1526
	32MB Flash Card	1021208
	64MB Flash Card	1021209
	40+GB Hard Disk	13N1530
<b>Warranty*</b>	1-year Onsite Repair	Base
	1-year Onsite Repair extended warranty	2348688
	2-year Onsite Repair extended warranty	2348689
	3-year Onsite Repair extended warranty	2348690



- 100-sheet Multipurpose Feeder (standard)
- 500-sheet Drawer (standard)
- Duplex Unit (standard on dn & dtn, 20B2400)
- 500-Sheet Drawer (standard on dtn, 20B2300)
- 2000-sheet Drawer (20B2700)



**StapleSmart Finisher**  
(20B3060)  
Up to 750 sheets  
unstapled, up to  
40 stapled sets



**5-bin Mailbox**  
(20B3000)  
Up to 120 sheets  
per bin

### Options Not Pictured

500-sheet Tray	20B2373
Banner Media Tray	20B5000
Envelope Drawer	20B3100
Outdoor Media Drawer	20B3340
Printer Stand	16N1708
Output Expander	20B3050

<sup>1</sup> Yield is based on approximately 5% coverage per color.

## Additional Part Numbers

<b>Solutions</b>	Korean Font Card	1021240
	Traditional Chinese Font Card	1021242
	Simplified Chinese Font Card	1021241
	Japanese Font Card	1021243
	Bar Code Card	20B3201
	Card for IPDS and SCS/TNe	20B3202
	Forms Card	20B3206
PrintCryption™ Card	20B3204	
<b>Connectivity</b>	External Print Servers	
	Lexmark MarkNet™ N7000e Fast Ethernet - 1 port <sup>1</sup>	14T0230
	Lexmark MarkNet N7020e Gigabit Ethernet - 4 port <sup>1</sup>	14T0220
	Lexmark MarkNet N7002e Fast Ethernet - 1 port <sup>2</sup>	14T0240
	Internal Print Servers	
	Lexmark MarkNet N8020 Gigabit Ethernet	14S0200
	Lexmark MarkNet N8030 Fiber Ethernet	14S0220
	Lexmark MarkNet N8050 802.11g Wireless	14S0165
	Wireless Print Adapters	
	802.11g Print Adapter	1010042
	Lexmark N4050e 802.11g Print Server <sup>1</sup>	14T0145
	Local Connections	
Parallel 1284-B Interface Card	1021091	
RS-232C Serial Interface Card	1021092	
<b>Cables</b>	10-foot Parallel Cable	1021231
	6-foot USB Cable	1021294
<b>Media</b>	Lexmark Professional Color Laser Transparencies (letter)	12A8240
	Lexmark Soft Gloss Paper (letter)	12A5950
	Lexmark Banner Paper (8.27 x 36 in.)	12A8940
	Lexmark Outdoor Media (letter)	12A8600

## Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PrintCryption is a trademark of Lexmark International, Inc. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2006 Lexmark International, Inc. All rights reserved.



71K1201

<sup>1</sup> Requires USB Connection  
<sup>2</sup> Requires Parallel Connection